

polished aluminium or powder coated black and white. Seat and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resist foam. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances.	KABIRA FABRIC SP	DESIGN: KENSAKU OSHIRO 941
END USE Secting suitable to furnish different areas: bars, restourants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces. The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishin polianed duminium or power croated black and white. Sect and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholatered fabrics chasen by the customer. The upholatery on our chairs is made of flame-retardant fabric and flame-resist form. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REQUIREMENTS REQUIREMENTS REQUIREMENTS Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Any spills should be wiped up immediately with a clean, dry rag. Varied and committed in the clean of the chair. Do not sit on the back. Do not stand on the chair. Check pendically that the saces are correctly tightened. By clean of the chair check is the sace on correctly tightened. Process leap peny from any heating source. Wood could be easily domaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if sposed to direct sunlight. Larmet all is not liable for any damage that may result from the product auxilight. Larmet sil is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		Description: small swivel armchair with 4-rays polished or painted aluminium frame and upholstered shell.
Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces. The frame is composed of a swivel die-cost alluminium trestle. The trestle is available with the following finishin polished alluminium or powder coated black and white. Seat and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foom and upholstered fabrics chosen by the customer. The upholstery on our chains is made of filame-retardant fabric and filame-resist form. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wigh up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not at on the back. Do not stand on the chair. Check periodically that the seating centre. Please keep away from any heating source. Vood could be easily demaged. Small imperfection or impurities are within standard quality range. The product out denage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		Use: indoor
Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces. The frame is composed of a swived lide-cost alluminum trestle. The trestle is available with the following finishin polished aluminium or powder coated black and white. Seat and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, podded with polyuretane foam and upholstered fabrics chosen by the customer. The upholstery on our chairs is made of flame-restardant fabric and flame-resist foam. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). DRDINARY CLEANING Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with obsains spanges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could shonge the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardou		9 10 m³ 0,25 ASS
The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishin polished aluminium or powder coated black and white. Seat and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered fobrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resist foam. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any substances of very high concern (SVHC). PARSISTAND ALMITENANCE EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check pendicially that the screws are correctly tightened. Be careful not to sit off the secting centre. Please keep owy from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hozardous to human health, animals or environment.		76,5 45 58 55 7 130 \$2,50
polished aluminium or powder coated black and white. Seat and base fixing support in sheet metal. The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resist foam. The glide plugs are made of plastic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with obrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sa tiof the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable	END USE	
fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resist foam. The glide plugs are made of plostic material black coloured or transparent with felted surface. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). ORDINARY CLEANING Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrosive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not sit on the back. Do not set and on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please tilise the waste collection and recycling service operated by your local authority, or take it to a suitable		
Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assemble shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHO). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please willise the waste collection and recycling service operated by your local authority, or take it to a suitable	COMPONENTS	The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered with fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
Shell + 1 frame). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please willise the waste collection and recycling service operated by your local authority, or take it to a suitable		The glide plugs are made of plastic material black coloured or transparent with felted surface.
REQUIREMENTS REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). ORDINARY CLEANING Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged, Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (shell + 1 frame).
This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). DRDINARY CLEANING AND MAINTENANCE Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
Use neutral detergents only. Avoid cleaning with abrasive sponges. EXTRAORDINARY MAINTENANCE Supplier suggested personnel only. The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable	REQUIREMENTS	This product contains only substances compliant with the abovementioned regulation and does not contain any
The chair must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		Use neutral detergents only.
Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable	EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened.
Harmful substances This product is not toxic nor hazardous to human health, animals or environment. ECOLOGY Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable	PRECAUTIONS FOR USE	Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight.
This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		Arrmet srl is not liable for any damage that may result from the product misuse.
Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		
recycling point. The product out the easily disdesembled, racintating disposal.	ECOLOGY	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable
WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.	WARRANTY	, , , , , , , , , , , , , , , , , , , ,



plywood curve

KABIRA WOOD 4L	DESIGN: KENSAKU OSHIRO 937
	Description: small 4-legs armchair with chromed or painted steel frame and tinted multilayered ashwood shell.
	Use: indoor
	8 9 0,25^ HH 1
	74 45 58 56 1 1 1 1 1 1 1 1 1
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated (CRO) or powder coated with polyester varnish of the following colours: black (M7), white (M6) and grey brown (M8); or liquid painting, brass (OT) and copper (CU).
COMPONENTS	The shell is in ash veneered, plywood panel, moulded and curved, available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengé aniline ashwood (T8). Wood is water-based varnished.
COMPONENTS	On request fixed cushion , padded with polyurethane foam and upholstered with fabrics chosen by the customers.
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
	The chair must be used with its four legs resting on the floor at all times.
	Do not sit on the back. Do not stand on the chair.
PRECAUTIONS FOR USE	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.
	Please keep away from any heating source.
	Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal
	Dispose this product responsibly after use at the end of its life. Please use the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.



KABIRA WOOD 4WL	DESIGN: WELLINGLUDWIK 1026	
	Description : small 4-wooden legs armchair with natural or painted ashwood frame and and tinted multilayered ashwood shell.	
	Use: indoor - outdoor	
	1 1 1 1 1 1 1 1 1 1	
1 1 1 1	1 1 </th	
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.	
	The frame is composed of 4-legs wooden frame in solid ash, round section available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood and wengé aniline ashwood (T8). Wood is water-based varnished.	
COMPONENTS	The shell is in ash veneered, plywood panel, moulded and curved, available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wenge aniline ashwood (T8). Wood is water-based varnished.	
	On request fixed cushion , padded with polyurethane foam and upholstered with fabrics chosen by the customers.	
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface.	
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled.	
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).	
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.	
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.	
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.	
	Do not stand on the chair.	
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.	
PRECAUTIONS FOR USE	Please keep away from any heating source.	
	Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight.	
	In case of children use, please consider the supervision of an adult.	
	Arrmet srl is not liable for any damage that may result from the product misuse.	
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.	
ECOLOGY	Waste disposal	
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.	
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.	

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



KABIRA WOOD HO DESIGN: WELLINGLUDWIK Description: swivel chair with height-adjustable base, polished or painted aluminum 5-spoke and tinted multilayered ashwood shell. Use: indoor - outdoor 0.41 ASS 95 41-52 Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, **END USE** waiting rooms but also perfect to fit into residential spaces. The **frame** is composed of a die-cast alluminium base 5-spokes with castors and a gas piston. Base and gas piston are available with the following finishing: chromium plated or powder coated black (RAL9005) white (RAL9016). Gas piston height adjustement mechanism operated by a steel lever. Seat and base fixing support in metal sheet. (The finishings must be considered as simil-RAL). The shell is in ash veneered, plywood panel, moulded and curved, available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengé COMPONENTS aniline ashwood (T8). Wood is water-based varnished. Available fixed cushion, padded with CFC-free polyurethane foam and upholstered with fabrics chosen by the customers. Castors are in black plastic material, self-breaking. $\textbf{Packaging} \text{ is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1) and the protective elements of the$ REACH: is the European Union regulation that addresses the production and use of chemical substances. CERTIFICATIONS This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. **ORDINARY CLEANING** Use neutral detergents only. AND MAINTENANCE Avoid cleaning with abrasive sponges. Supplier suggested personnel only. **EXTRAORDINARY MAINTENANCE** The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal. WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lqs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



KABIRA WOOD SL	DESIGN: WELLINGLUDWIK 939
	Description: small sled armchair with chromed or painted steel frame and tinted multilayered ashwood shell.
	Use: indoor
	RG 8 0,25 ASS
	74 45 58 56 27 2 5
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of metal rod, round section, Ø11 mm, chromium plated or powder coated with polyester varnish of the following colours: black, white and grey brown; or liquid painting, brass and copper.
COMPONENTS	The shell is in ash veneered, plywood panel, moulded and curved, available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengé aniline ashwood (T8). Wood is water-based varnished.
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its sled base resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.



KABIRA WOOD SP	DESIGN: KENSAKU OSHIRO 941
	Description: small swivel armchair with 4-rays polished or painted aluminium frame and tinted multilayered
	ashwood shell. Use: indoor
	OSE. INDUOI
	9 0,25 ASS 11 1 1
	76,5
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black and white. Seat and base fixing support in sheet metal.
COMPONENTS	The shell is in ash veneered, plywood panel, moulded and curved, available with the following finishings: stained-oak ashwood (T2), natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengé aniline ashwood (T8). Wood is water-based varnished.
	On request fixed cushion , padded with polyurethane foam and upholstered with fabrics chosen by the customers.
	The glide plugs are made of plastic material black coloured or transparent with felted surface.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
	The chair must be used with its base resting on the floor at all times. Do not sit on the back.
	Do not stand on the chair. Check periodically that the screws are correctly tightened.
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



KABIRA FABRIC 4L	DESIGN: KENSAKU OSHIRO 937
	Description: small 4-legs armchair with chromed or painted steel frame and upholstered shell.
	Use: indoor
	1 1 1 1 1 1 1 1 1 1
	74 45 58 56 7 130 \$2,50
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black, white and grey brown; or liquid painting, brass and copper.
COMPONENTS	The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered with fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
DDFGAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.
PRECAUTIONS FOR USE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.



KABIRA FABRIC 4WL	DESIGN: WELLINGLUDWIK	1026	
	Description: small 4-legs armchair with natural or painted ashwood frame and upholstered shell.		
	Use: indoor		
	KG 6,5 (KG 7,5 (m ³) 0,25 [^]	1	
1 11	74 46 58 56 7130 \$2,50		
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference waiting rooms but also perfect to fit into residential spaces.	ce rooms,	
	The frame is composed of 4-legs wooden frame in solid ash, round section available with the followin natural ashwood, stained-oak ashwood, white aniline ashwood, black aniline ashwood and wengé anil Wood is water-based varnished.		
COMPONENTS	The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and up fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and floam.		
	The glide plugs are made of plastic material black coloured or white. On request glide plugs with felte	d surface.	
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1po	c assembled.	
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.		
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substan This product contains only substances compliant with the abovementioned regulation and does not c "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
	The chair must be used with its four legs resting on the floor at all times.		
PRECAUTIONS FOR USE	Do not sit on the back. Do not stand on the chair.		
	Check periodically that the screws are correctly tightened.		
	Be careful not to sit off the seating centre. Please keep away from any heating source.		
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal		
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to recycling point. This products can be easily disassembled, facilitating disposal.	a suitable	
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



KABIRA FABRIC HO	DESIGN: WELLINGLUDWIK 940
	Description : swivel chair with height-adjustable base, polished or painted aluminum 5-spoke and upholstered seat.
	Use: indoor
	9,5 (G) 10,5 (G) 0,41 ASS (G) 1
	76-87 41-52 67 67 67 7 130 \$\mathbb{2}\$ 2,50
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of a die-cast alluminium base 5-spoke with castors and a gas piston. Base and gas piston are available with the following finishing: chromium plated (CRO) or powder coated black (M7) and white (M6). Gas piston height adjustement mechanism operated by a steel lever. Seat and base fixing support in sheet metal.
COMPONENTS	The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered with fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
	Castors are in black plastic material, self-breaking.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.
	Do not stand on the chair.
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.
PRECAUTIONS FOR USE	Please keep away from any heating source.
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
	This product is not toxic nor nazaraous to namarineariti, animals of environment.
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
ECOLOGY WARRANTY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable
	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.



	DESIGN: WELLINGLUDWIK 939
	Description: small sled armchair with with chromed or painted steel frame and upholstered shell.
	Use: indoor
	8
	74 45 58 56 7130 \$2,50
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
	The frame is composed of metal rod, round section, Ø11 mm, chromium plated or powder coated with polyester varnish of the following colours: black, white and grey brown; or liquid painting, brass and copper.
	The shell is composed of a plywood panel, moulded and curved, padded with polyuretane foam and upholstered with fabrics chosen by the customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.
COMPONENTS	On request fixed cushion , padded with polyurethane foam and upholstered with fabrics chosen by the customers.
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface.
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc assembled (1 shell + 1 frame).
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its sled base resting on the floor at all times. Do not sit on the back. Do not stand on the chair.
	Check periodically that the screws are correctly tightened.
	Be careful not to sit off the seating centre. Please keep away from any heating source.
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse.
	Harmful substances
	This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation too





ightarrow VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

ightarrow PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION