

Use: indo Line Line Line Seating: to fit into The fram colours: I chromiur The shell (PP16), P COMPONENTS The cush chosen be cho	suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect or residential spaces. To fee is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following olack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, m plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk ale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Inion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders and surface. The gis made of corrugated double wave cardboard box and protective elements. The street European Union regulation that addresses the production and use of chemical substances. The street European Union regulation that addresses the production and use of chemical substances. The street European Union regulation that addresses the production and use of chemical substances.	
END USE Seating to fit into to fit into the fram colours: to chromium the shell (PP16), P COMPONENTS The shell (PP16), P The cush chosen to with feltor packagin CERTIFICATION REACH: This proc "substand" Any spill Use neut Avoid cle * For uph the supplier EXTRAORDINARY MAINTENANCE Supplier	suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect or residential spaces. To black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, m plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk ale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Inion is made of polypropylene (PP), padded with cfo-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The made of polystic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders and surface. The gis made of corrugated double wave cardboard box and protective elements. The substances compliant with the abovementioned regulation and does not contain any	
END USE Seating: to fit into The fram colours: I chromiur The shell (PP16), P The cush chosen b Gliders of with felto Packagir This proc Supplier EXTRAORDINARY MAINTENANCE Supplier	suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect or residential spaces. The is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, m plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk tale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). It is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders are surface. The gis made of corrugated double wave cardboard box and protective elements. The surface of corrugated double wave cardboard box and protective elements. The surface of corrugated double wave cardboard box and protective elements.	
END USE Seating: to fit into The fram colours: I chromiur The shell (PP16), P The cush chosen b Gliders of with felte Packagir CERTIFICATION REACH: This proc "substan Any spill Use neut Avoid cle * For uph EXTRAORDINARY MAINTENANCE Supplier	suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect or residential spaces. The is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, m plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk alle pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Inion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders are made of corrugated double wave cardboard box and protective elements. The street European Union regulation that addresses the production and use of chemical substances. But the contains only substances compliant with the abovementioned regulation and does not contain any	
The fram colours: It chromium COMPONENTS The cush chosen be chos	The is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following oblack (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, in plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk alle pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Inion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders and surface. In g is made of corrugated double wave cardboard box and protective elements. It is the European Union regulation that addresses the production and use of chemical substances. But the contains only substances compliant with the abovementioned regulation and does not contain any	
COMPONENTS The shell (PP16), P COMPONENTS The cush chosen be didented with felter Packagir CERTIFICATION CERTIFICATION CERTIFICATION COMPONENTS REACH: This proce "substant" Any spill Use neut Avoid cleented and MAINTENANCE Avoid cleented and MAINTENANCE EXTRAORDINARY MAINTENANCE Supplier	black (MT), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, in plated (CRO), gold (SG), brass (BR) and black nickel (NK). It is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk alle pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). It is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric productions. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders are surface. It is made of corrugated double wave cardboard box and protective elements. It is the European Union regulation that addresses the production and use of chemical substances. But contains only substances compliant with the abovementioned regulation and does not contain any	
COMPONENTS The cush chosen be diders of with felter packagir CERTIFICATION ORDINARY CLEANING AND MAINTENANCE EXTRAORDINARY MAINTENANCE (PP16), P Cush chosen be	rale pink (PP17), ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). Ition is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. It is made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders are surface. In g is made of corrugated double wave cardboard box and protective elements. It is the European Union regulation that addresses the production and use of chemical substances. Such contains only substances compliant with the abovementioned regulation and does not contain any	
The cush chosen by the cush chosen by the cush chosen by the chosen by the cush chosen by the cush chosen by the cush chosen by the cush cush cush cush cush cush cush cush	by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. For made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders and surface. For made of corrugated double wave cardboard box and protective elements. For sist the European Union regulation that addresses the production and use of chemical substances. For such cardward in the contains only substances compliant with the abovementioned regulation and does not contain any	
with felte Packagir REACH: i This proc "substan Any spill: Use neut Avoid cle * For uph EXTRAORDINARY MAINTENANCE Supplier	ng is made of corrugated double wave cardboard box and protective elements. is the European Union regulation that addresses the production and use of chemical substances. duct contains only substances compliant with the abovementioned regulation and does not contain any	
CERTIFICATION REACH: This proc "substan Any spill: Use neut Avoid cle * For uph EXTRAORDINARY MAINTENANCE Supplier	is the European Union regulation that addresses the production and use of chemical substances. Just contains only substances compliant with the abovementioned regulation and does not contain any	
CERTIFICATION This proc "substan Any spills Use neut Avoid cle * For uph EXTRAORDINARY MAINTENANCE Supplier	duct contains only substances compliant with the abovementioned regulation and does not contain any	
ORDINARY CLEANING AND MAINTENANCE Avoid cle * For uph EXTRAORDINARY MAINTENANCE Supplier	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).	
	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.	
The stee	suggested personnel only.	
	I must be used with its sled base resting on the floor at all times. It on the back.	
Do not s	tand on the chair.	
	eriodically that the screws are correctly tightened. ul not to sit off the seating centre.	
PRECAUTIONS FOR USE Please ke	eep away from any heating source.	
	se not to use this product when exceeding 100 Kg load limit. luct could change the colour and shade, if exposed to direct sunlight.	
In case o	of children use, please consider the supervision of an adult.	
Arrmet s	rl is not liable for any damage that may result from the product misuse.	
	substances duct is not toxic nor hazardous to human health, animals or environment.	
ECOLOGY Waste di		
Dispose	this product responsibly after use at the end of its life. tilise the waste collection and recycling service operated by your local authority, or take it to a suitable	
recycling		
WARRANTY 24 + 2 m		

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA ST/4L-NS	DESIGN: WELLINGLUDWIK		1133		
	Description: 4-Legs stool with chromed or painted steel frame, shell and	seat in polypropylene.			
	Use: indoor				
AA	KG ○ KG ○ ^ M ○ ^		1		
	112 75 61 56 798				
END USE	Seating suitable to furnish different areas: public spaces, libraries, confeto fit into residential spaces.	rence rooms, waiting rooms	but also perfect		
	The frame is composed of metal tubes, round section, Ø16 mm, powder of following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (e red (M19) and beige (M24)			
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available wit (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and D		ck (PP3), Milk		
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet.				
	Packaging is made of corrugated double wave cardboard box and protective elements. Questo articolo ha superato i test previsti dalle norme				
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.				
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.				
	The stool must be used with its four legs resting on the floor at all times.				
	Do not sit on the back. Do not stand on the chair.				
PRECAUTIONS FOR USE	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.				
PRECAUTIONS FOR USE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sun	ıliaht.			
	In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the product misuse.				
	Harmful substances This product is not toxic nor hazardous to human health, animals or envi	ronment.			
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by you recycling point. This products can be easily disassembled, facilitating disposal.	ır local authority, or take it t	o a suitable		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.				
	· '				



MANI ARMSHELL PLA ST-4WL DESIGN: WELLINGLUDWIK			
	Description : Stool with wooden frame seat and shell in polypropylene.		
	Use: indoor		
A	0 N N N N N N N N N N N N N N N N N N N		
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference room to fit into residential spaces.	ns, waiting rooms but also perfo	
COMPONENTS	The frame is composed of 4-legs wooden frame in solid ash, round section, natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembled.		
CERTIFICATION	Questo articolo ha superato i test previsti dalle norme: Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local aut recycling point. This products can be easily disassembled, facilitating disposal.	hority, or take it to a suitable	
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



	Description: Adjustable stool with stainless steel base, chromed or painted footrest, shell and seat in polyprop Stool base: Ø45 cm. Use: indoor	ylene
		7
4		ر
	93/113 55/75 61 56 79/99	
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also to fit into residential spaces.	perfe
	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with for rectangular-section, welded. Gas piston height adjustement mechanism operated by a steel lever. Shell-mount in metal plate.	otrest
20MPONENTO	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base brushed stainless steel cover satinated. The gas spring is chromium plated.	with
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), N (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).	lilk
	Gliders are made of plastic material, black coloured.	
	Packaging is made of corrugated double wave cardboard box and protective elements.	
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.	
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain a "substance of very high concern" (SVHC).	ıny
DRDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.	
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.	
	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back.	
	Do not stand on the chair. Check periodically that the screws are correctly tightened. Be garful not to git off the conting control.	
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.	
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.	
	Arrmet srl is not liable for any damage that may result from the product misuse.	
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.	
ECOLOGY	Waste disposal	
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitab recycling point. This products can be easily disassembled, facilitating disposal.	le
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.	

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL PLA ST/SL-NS	DESIGN: WELLINGLUDWIK	1135			
	Description : Sled stool with chromed or painted steel frame, shell an	nd seat in polypropylene.			
	Use: indoor				
	KG 10				
	112 75 61 56 98				
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfecto fit into residential spaces.				
	The frame is composed of steel rods, round section, Ø12 mm, powde colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).	(M19) and beige (M24); or galvanic finishes,			
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, availabl (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) o				
	Gliders are made of plastic material, neutral coloured inserted into pre drilled holes on sled base. On request gliders with felted surface.				
	Packaging is made of corrugated double wave cardboard box and p	rotective elements.			
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.				
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.				
	The chair must be used with its four castors resting on the floor at a Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.	all times.			
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the pro	duct misuse.			
	Harmful substances This product is not toxic nor hazardous to human health, animals or	environment.			
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by recycling point. This products can be easily disassembled, facilitating disposal.	y your local authority, or take it to a suitable			
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.				

 $This \ product \ data sheet \ comply \ with \ Italian \ regulation \ (D.Lgs \ 6th \ September \ 2005, n. \ 206 \ "Codice \ del \ Consumo"), on the \ subject \ of \ consumer \ information \ and \ implementation \ tool.$



MANI ARMSHELL PLA+W ST/4L-NS DESIGN: WELLINGLUDWIK 1133 Description: Non-stackable 4-Legs stool with chromed or painted steel frame, polypropylene shell and basic veneer wooden seat Use: indoor 0 112 Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet. Packaging is made of corrugated double wave cardboard box and protective elements Questo articolo ha superato i test previsti dalle norme: CERTIFICATION REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. ORDINARY CLEANING Avoid cleaning with abrasive sponges. AND MAINTENANCE For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The chair must be used with its five castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal. WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.



MANI ARMSHELL PLA+W ST-4WL	DESIGN: WELLINGLUDWIK				
	Description : Stool with natural ash frame, polypropylene shell and basic veneer wooden seat.				
	Use: indoor				
A		כ			
11.11	111 75 61 98				
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also put of fit into residential spaces.	erfe			
	The frame is composed of 4-legs wooden frame in solid ash, round section, natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.				
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).				
COMPONENTS	The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.				
	The glide are made of plastic material black coloured. On request glide plugs with felted surface or carpet.				
	Packaging is made of corrugated double wave cardboard box and protective elements.				
	Questo articolo ha superato i test previsti dalle norme:				
CERTIFICATION	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.				
CENTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING	Any spills should be wiped up immediately with a clean, dry rag.				
AND MAINTENANCE	Use neutral detergents only. Avoid cleaning with abrasive sponges.				
EXTRAORDINARY MAINTENANCE	* For upholstered version, download our cleaning and maintenance fabric guide from our download area. Supplier suggested personnel only.				
EXTRAORDINART MAINTENANGE	The chair must be used with its five castors resting on the floor at all times.				
	Do not sit on the back.				
	Do not stand on the chair. Check periodically that the screws are correctly tightened.				
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.				
	We advise not to use this product when exceeding 100 Kg load limit.				
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the product misuse.				
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.				
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life.				
	Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.				
	This products can be easily disassembled, facilitating disposal.				
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.				

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MÁNI ARMSHELL PLA+W ST/ADJ	DESIGN: WELLINGLUDWIK 1136	
	Description : Adjustable stool with stainless steel base, chromed or painted footrest, polypropylene shell and basic veneer wooden seat. Stool base: Ø45 cm.	
	Use: indoor	
	93-113	
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.	
	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustement mechanism operated by a steel lever. Shell-mount in metal plate.	
	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.	
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).	
	The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.	
	Gliders are made of plastic material, black coloured. On request glides with felt slide base	
	Packaging is made of corrugated double wave cardboard box and protective elements.	
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.	
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).	
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.	
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.	
	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back.	
	Do not stand on the chair.	
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.	
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit.	
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.	
	Arrmet srl is not liable for any damage that may result from the product misuse.	
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.	
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.	
	This products can be easily disassembled, facilitating disposal.	
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.	



MANI ARMSHELL PLA+W ST/SL-NS DESIGN: WELLINGLUDWIK 1135 Description: Non-stackable sled stool with chromed or painted steel frame, polypropylene shell and basic veneel wooden seat Use: indoor 10 O D Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The seat is made of a plywood panel, moulded and curved, available with the following finishings: natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available. Packaging is made of corrugated double wave cardboard box and protective elements. REACH: is the European Union regulation that addresses the production and use of chemical substances. CERTIFICATION This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. **ORDINARY CLEANING** Use neutral detergents only AND MAINTENANCE Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MÁNI ARMSHELL FA ST/ADJ	DESIGN: WELLINGLUDWIK 1136		
	Description : Adjustable stool with stainless steel base, chromed or painted footrest and polypropylene shell and seat with flame-retardant polyurethane foam, upholstered. Stool base: Ø45 cm.		
	Use: indoor		
1			
	93-113		
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.		
	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest rectangular-section, welded. Gas piston height adjustement mechanism operated by a steel lever. Shell-mount in metal plate.		
COMPONENTS	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.		
	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.		
	Gliders are made of plastic material, black coloured. On request glides with felt slide base		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.		
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.		
	Do not stand on the chair. Check periodically that the screws are correctly tightened.		
	Be careful not to sit off the seating centre.		
	Please keep away from any heating source.		
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit.		
PRECAUTIONS FOR USE	, , , ,		
PRECAUTIONS FOR USE	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. Wood could be easily damaged. Small imperfection or impurities are within standard quality range.		
PRECAUTIONS FOR USE	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult.		
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal		
PRECAUTIONS FOR USE	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
	We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable		



MANI ARMSHELL FA ST/4L-NS	DESIGN: WELLINGLUDWIK 1133			
	Description : 4-Legs stool with chromed or painted steel frame, shell and seat in upholstered polypropylene with flameretardant polyurethane foam.			
	Use: indoor			
AA	112			
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfet to fit into residential spaces.			
	The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK).			
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.			
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet.			
	Packaging is made of corrugated double wave cardboard box and protective elements.			
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).			
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.			
	* For upholstered version, download our cleaning and maintenance fabric guide from our download area.			
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.			
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.			
	Arrmet srl is not liable for any damage that may result from the product misuse.			
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.			
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.			
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.			



MANI ARMSHELL FA ST-4WL	DESIGN: WELLINGLUDWIK 1134		
	Description : 4-Legs with natural or painted ash frame, shell and seat in upholstered polypropylene with flame-retardant polyurethane foam.		
	Use : indoor		
11 11	☐ 112 ☐ 76 ☐ 61 ☐ 56 ☐ 98 ② 160 ③ 3,0		
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfe to fit into residential spaces.		
	The frame is composed of 4-legs wooden frame in solid ash, round section, natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished.		
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.		
	The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet.		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.		
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.		
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		

 $This \ product \ data sheet \ comply \ with \ Italian \ regulation \ (D.Lgs \ 6th \ September \ 2005, n. \ 206 \ "Codice \ del \ Consumo"), on the \ subject \ of \ consumer \ information \ and \ implementation \ tool.$

UNI EN ISO 9001 CERTIFIED QUALITY MANAGEMENT SYSTEM



MANI ARMSHELL FA ST/SL-NS	DESIGN: WELLINGLUDWIK		1135	
	Description : Sled stool with chromed or painted steel frame, shell and seat in uph flameretardant polyurethane foam.	holstered polypr	opylene with	
	Use: indoor			
M	11	1 ^A 1 ^D	ф :	
FAID HOE	Seating suitable to furnish different areas: bars, restaurants, public spaces, librar	3,00	rooms, waiting	
END USE	rooms but also perfect to fit into residential spaces.			
	The frame is composed of steel rods, round section, Ø12 mm, powder coated with polyester varnish of the followir colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric		Ilvanic finishes,	
COMPONENTS	chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.			
	Packaging is made of corrugated double wave cardboard box and protective elements.			
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).			
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide f	from our downlo	ad area.	
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		98	
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened.			
ODEOAUTIONO FOR 1105	Be careful not to sit off the seating centre. Please keep away from any heating source.			
PRECAUTIONS FOR USE	The product could change the colour and shade, if exposed to direct sunlight. We advise not to use this product when exceeding 100 Kg load limit.			
	Wood could be easily damaged. Small imperfection or impurities are within stand In case of children use, please consider the supervision of an adult.	dard quality ran	ge.	
	Arrmet srl is not liable for any damage that may result from the product misuse.			
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment	t.		
	Waste disposal			
ECOLOGY	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local a	authority, or take	it to a suitable	
	recycling point. This products can be easily disassembled, facilitating disposal.	<i>y</i> ,		



MANI ARMSHELL PLA+F ST/4L-NS DESIGN: WELLINGLUDWIK 1133 Description: 4-Legs stool with chromed or painted steel frame, polypropylene shell and upholstered seat. 0,0 0,0 A 0.0 112 76 Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect **END USE** to fit into residential spaces. The frame is composed of metal tubes, round section, Ø16 mm, powder coated with polyester varnish of the following colours: black (M7), milk (M16), brown (M8), graphite (M12), oxide red (M19) and beige (M24); or galvanic finishes, chromium plated (CRO), gold (SG), brass (BR) and black nickel (NK). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21). COMPONENTS The cushion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The glide plugs are made of plastic material black coloured. On request glide plugs with felted surface or carpet Packaging is made of corrugated double wave cardboard box and protective elements Questo articolo ha superato i test previsti dalle norme: CERTIFICATION REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC). Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only ORDINARY CLEANING Avoid cleaning with abrasive sponges. AND MAINTENANCE * For upholstered version, download our cleaning and maintenance fabric guide from our download area. **EXTRAORDINARY MAINTENANCE** Supplier suggested personnel only. The stool must be used with its four legs resting on the floor at all times. Do not sit on the back Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. PRECAUTIONS FOR USE Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment. Waste disposal **ECOLOGY** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal. WARRANTY 24 + 2 months as referred to in 99/44/CE European directive.



MANI ARMSHELL PLA+F ST-4WL	DESIGN: WELLINGLUDWIK 1134		
	Description : Stool with wooden frame, polypropylene shell and upholstered seat.		
	Use: indoor		
A			
1111	111 76 61 56 797 0,80		
END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.		
	The frame is composed of 4-legs wooden frame in solid ash, round section, natural (W1), black (W2), walnut (W3) and cherry (W4). Wood is water-based varnished. Seat and base fixing support in sheet metal.		
COMPONENTS	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).		
	The cushion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.		
	The glide are made of plastic material black coloured. On request glide plugs with felted surface or carpet		
	Packaging is made of corrugated double wave cardboard box and protective elements.		
	Questo articolo ha superato i test previsti dalle norme:		
CERTIFICATION	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.		
	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contai "substance of very high concern" (SVHC).		
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.		
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.		
	The stool must be used with its four legs resting on the floor at all times.		
	Do not sit on the back. Do not stand on the chair.		
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.		
PRECAUTIONS FOR USE	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit.		
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.		
	Arrmet srl is not liable for any damage that may result from the product misuse.		
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.		
ECOLOGY	Waste disposal		
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.		
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.		



MÁNI ARMSHELL PLA+F ST/ADJ	DESIGN: WELLINGLUDWIK				1136
	Description : Adjustable stool with stainless steel upholstered seat. Stool base: Ø45 cm.	base, chromed or painted f	ootrest, pol	propylene s	hell and
	Use: indoor				
7	Ke ○ Ke ○^	0 A 0 D	AA	0 ^A	
	93-113 56-76 61 5	6 79-99	40	0,80	
END USE	Seating suitable to furnish different areas: public to fit into residential spaces.	spaces, libraries, conference	ce rooms, wo	aiting rooms	but also perfect
COMPONENTS	The ballast is composed of a round base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest, rectangular-section, welded. Gas piston height adjustement mechanism operated by a steel lever. Shell-mount in metal plate.				
	The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with brushed stainless steel cover satinated. The gas spring is chromium plated.				
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: Black (PP3), Milk (PP16), Pale pink (PP17), Ice (PP18), Oxide red (PP19), Brown (PP20) and Dark Green (PP21).				
	The cushion is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.				
	Gliders are made of plastic material, black coloured. On request glides with felt slide base				
	Packaging is made of corrugated double wave cardboard box and protective elements.				
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.				
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.				
	* For upholstered version, download our cleaning and maintenance fabric guide from our download area.				
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.				
	The stool must be used with its base resting on the floor at all times. Do not sit on the back.				
	Do not stand on the chair. Check periodically that the screws are correctly tightened.				
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre.	ignteried.			
	Please keep away from any heating source. We advise not to use this product when exceeding 100 Kg load limit.				
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the product misuse.				
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.				
	Waste disposal				
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.				
	This products can be easily disassembled, facility	ıting disposal.			
WARRANTY	24 + 2 months as referred to in 99/44/CE Europe	0			