MANI PLASTIC ST-SL	DESIGN: WELLINGLUDWIK 1034						
	Description : stool with stackable sled frame and shell in polypropilene.						
	Use: indoor						
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of steel rods, round section, Ø12 mm, chromium plated (CRO) or powder coated with polyester varnish of the following colours: black (M7), white (M6); or liquid painting, brass (OT), copper (CU) and titanium (TI). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white (PP1), black						
COMPONENTS	 (PP3), dove (PP11), graphite (PP12), olive (PP13), raspberry (PP14) and powder blue (PP15). Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3. 						
	Available front shell (art.1022) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 55 cm. Used leather 0,80 m3. Gliders are made of plastic material, black coloured. On request glides with felt slide base.						
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames).						
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
PRECAUTIONS FOR USE	The stool must be used with its sled base resting on the floor at all times. Do not sit on the back. Do not stand on the stool.						
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.						
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.						

MANI FABRIC ST-SL	DESIGN: WELLINGLUDWIK 1034					
	Description: stool with stackable sled frame and and shell fully upholstered.					
	Use: indoor					
1						
END USE	seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
	The frame is composed of steel rods, round section, Ø12 mm, chromium plated (CRO) or powder coated with polyester varnish of the following colours: black (M7), white (M6); or liquid painting, brass (OT), copper (CU) and titanium (TI).					
	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.					
COMPONENTS	The plastic carter (art.977) fixed under the shell allows stackability for upholstered version.					
	Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames).					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
	The stool must be used with its sled base resting on the floor at all times. Do not sit on the back.					
	Do not stand on the stool. Check periodically that the screws are correctly tightened.					
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.					
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					

MANI WOOD ST-4L PLUS	DESIGN: WELLINGLUDWIK				1039		
	Description: stoll with metal frame and shell in plywood 3D wooden ash.						
1	Use: indoor						
	KG 9)KG	11	0,35 ^A 0,21 ^D				
// []	110 75	46,5	3		h J		
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of meter polyester varnish of the followin titanium (TI).						
COMPONENTS	The shel l is in ash veneered plywood panel, moulded and curved, available with the following finishings: natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5), and wengè aniline ashwood (T8). Wood is water-based varnished.						
	Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3.						
	Gliders are made of plastic material, black coloured.						
	Packaging is made of corrugate	ed double wave c	ardboard box and prot	ective elements. It contain	s 1 pc.		
CERTIFICATION	REACH : is the European Union r This product contains only subs "substance of very high concerr	tances complian					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel o	nly.					
	The stool must be used with its Do not sit on the back.	four legs resting	on the floor at all time	9S.			
	Do not stand on the chair. Check periodically that the screws are correctly tightened.						
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.						
PRECAUTIONS FOR USE	Wood could be easily damaged. Small imperfection or impurities are within standard quality range.						
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances						
	This product is not toxic nor hazardous to human health, animals or environment.						
ECOLOGY	Waste disposal Dispose this product reasons the offer use at the end of its life						
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable						
	recycling point. This products can be easily disc	assembled, facilit	ating disposal.				
	24 + 2 months as referred to in						

MANI WOOD ST-4WL	DESIGN: WELLINGLUD	WIK					1040	
	Description: stool with as	hwood frame and s	shell in 3D wo	ooden ash.				
	Use: indoor							
THE HEAL	KG 8	10	m³	0,35 ^ 0,21 [□]	F			
n n	110 75	46,5	53					
END USE	Seating suitable to furnis rooms but also perfect to			ants, public	spaces, libra	ries, conferenc	e rooms, waiting	
	The frame is composed o black aniline (T5) and wer Shell-mount in metal plat	ngé aniline (T8). We				ral varnished	(T3), white aniline (T4),	
	The shell is in ash veneere natural ashwood (T3), whi Wood is water-based var	te aniline ashwood						
COMPONENTS	Available fixed cushion (a customer. The upholstery Used fabric 30 cm. Used l	on our chairs is mo						
	Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.							
	Packaging is made of cor (1 shell + 1 frame) or 1 pcs				protective ele	ments. It cont	ains 1 pc disassemblec	
	This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Seat and back fatigue test, L2 (extreme) according to table 1 of EN 16139:2013							
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).							
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped Use neutral detergents or Avoid cleaning with abras * For upholstered version,	nly. sive sponges.			fabric guide f	rom our down	load area.	
EXTRAORDINARY MAINTENANCE	Supplier suggested perso	nnel only.						
	The stool must be used w	ith its four legs res	ting on the f	floor at all 1	imes.			
	Do not sit on the back. Do not stand on the chair.							
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.							
PRECAUTIONS FOR USE	Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range.							
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.							
	Arrmet srl is not liable for any damage that may result from the product misuse.							
	Harmful substances This product is not toxic r	nor hazardous to hi	uman health	, animals o	r environment			
ECOLOGY	Waste disposal							
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable							
	recycling point. This products can be eas	ily disassembled, fo	acilitating di	sposal.				
WARRANTY	24 + 2 months as referred							

MANI WOOD ST-ADJ	DESIGN: WELLINGLUDWIK 1041						
	Description : adjustable stool with stainless steel base, chromed or painted footrest and shell in 3D plywood.						
a la companya da companya d	Use: indoor						
1							
	93 57-77 46,5 52 7						
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
COMPONENTS	The frame is composed of a square base, diameter 450, thickness 8 mm and a steel column, Ø50 mm, with footrest rectangular-section, welded. Gas piston height adjustement mechanism operated by a steel lever. Shell-mount in metal plate. The footrest is chromium plated (CRO) or powder coated black (M7) and white (M6), to be matched with base with stainless steel cover satinated. The Gas spring is chromium plated. The Gas spring is chromium plated. The base has a stainless steel cover. The shell is in ash veneered plywood panel, moulded and curved, available with the following finishings: natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengè aniline ashwood (T8). Wood is water-based varnished.						
	Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3. Gliders are made of plastic material, black coloured. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassemble (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).						
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
DRDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
PRECAUTIONS FOR USE	The stool must be used with its base resting on the floor at all times. Do not sit on the back. Do not stand on the stool. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.						

MANI WOOD ST-SL	DESIGN: WELLINGLUDWIK 1038					
	Description: stool with stackable sled frame and shell in 3D wooden ash.					
1 days	Use: indoor					
1711		1				
		Ĵ				
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
	The frame is composed of steel rods, round section, Ø12 mm, chromium plated (CRO) or powder coated with polyester varnish of the following colours: black (M7) and white (M6); or liquid painting, brass (OT), copper (CU) or titanium (TI).	and				
	The shell is in ash veneered plywood panel, moulded and curved, available with the following finishings: natural ashwood (T3), white aniline ashwood (T4), black aniline ashwood (T5) and wengè aniline ashwood (T8). Wood is water-based varnished.					
COMPONENTS	Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3. Plastic carter (art.977) allows stackability for upholstered version.					
	Gliders are made of plastic material, black coloured. On request glides with felt slide base.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames).					
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
	The stool must be used with its sled base resting on the floor at all times. Do not sit on the back. Do not stand on the chair.					
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.					
PRECAUTIONS FOR USE	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight.					
	Wood could be easily damaged. Small imperfection or impurities are within standard quality range. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal					
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.					
	This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					

	Description: chair with metal frame and shell in polypropilene.						
	Use: indoor						
TIH	9,7 KG 11.7 ^A 0,35 ^A 0,21 ^o 0,21 ^o						
TH							
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, li rooms but also perfect to fit into residential spaces.	ibraries, conference rooms, waiting					
	The frame is composed of metal tubes, round section, Ø25 mm, chromium pla polyester varnish of the following colours: black (M7), white (M6); or liquid pai titanium (TI).						
	The shell is made of polypropylene (PP), injection-moulded, available with th (PP3), dove (PP11), graphite (PP12), olive (PP13), raspberry (PP14) and powder						
COMPONENTS	Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3.						
	Available front shell (art.1022) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 55 cm. Used leather 0,80 m3.						
	Gliders are made of plastic material, black coloured.						
	Packaging is made of corrugated double wave cardboard box and protective (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).	elements. It contains 1 pc disasseml					
ERTIFICATION	REACH : is the European Union regulation that addresses the production and This product contains only substances compliant with the abovementioned r "substance of very high concern" (SVHC).						
ORDINARY CLEANING ND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric gui	ide from our download area.					
XTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.						
	Do not stand on the chair. Check periodically that the screws are correctly tightened.						
RECAUTIONS FOR USE	Be careful not to sit off the seating centre.						
	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight In case of children use, please consider the supervision of an adult.	t.					
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
	Waste disposal						
COLOGY	Dispose this product responsibly after use at the end of its life.						
	Please utilise the waste collection and recycling service operated by your loc	al authority, or take it to a suitable					
	recycling point. This products can be easily disassembled, facilitating disposal.						

MANI FABRIC ST-4L PLUS	DESIGN: WELLINGLUDWIK 1035						
	Description: chair with metal frame and shell fully upholstered.						
	Use: indoor						
TTH							
1H							
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of metal tubes, round section, Ø25 mm, chromium plated (CRO) or powder coated with polyester varnish of the following colours: black (M7), white (M6); or liquid painting, brass (OT), copper (CU) and titanium (TI).						
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.						
	Gliders are made of plastic material, black coloured.						
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc.						
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).						
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
	The stool must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.						
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.						
PRECAUTIONS FOR USE	Please keep away from any heating source.						
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.						

MANI PLASTIC ST-4WL	DESIGN: WELLINGLUDWIK 1036
	Description: chair with ashwood frame and shell in polypropilene.
	Use: indoor
AH	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	 The frame is composed of 4-legs wooden frame in solid ash, round section, finishingnatural varnished (T3), white aniline (T4), black aniline (T5) and wengé aniline (T8). Wood is water-based varnished. Shell-mount in metal plate. The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white (PP1), black (PP3), dove (PP11), graphite (PP12), olive (PP13), raspberry (PP14) and powder blue (PP15). Available fixed cushion (art.1021) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 30 cm. Used leather 0,50 m3. Available front shell (art.1022) padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. Used fabric 55 cm. Used leather 0,50 m3. Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc.
CERTIFICATION	This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Seat and back fatigue test, L2 (extreme) according to table 1 of EN 16139:2013 REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.
	Arrmet srl is not liable for any damage that may result from the product misuse. Harmful substances This product is not toxic nor hazardous to human health, animals or environment.
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

MANI FABRIC ST-4WL	DESIGN: WELLINGLUDWIK 1036						
	Description: chair with ashwood frame and shell fully upholstered.						
	Use: indoor						
AIA		1					
15							
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.						
	The frame is composed of 4-legs wooden frame in solid ash, round section, natural varnished (T3), white aniline (black aniline (T5) and wengé aniline (T8). Wood is water-based varnished. Shell-mount in metal plate.	(T4),					
COMPONENTS	The shell is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.						
	Gliders are made of plastic material, black coloured. On request glides with felt slide base or glides for carpet are available.	е					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassem (1 shell + 1 frame) or 1 pcs assembled (1 shell + 1 frame).	nbled					
	This article stood tests provided for by standards: - EN 1728:2012 + AC:2013 Seat and back fatigue test, L2 (extreme) according to table 1 of EN 16139:2013						
CERTIFICATION	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).	r					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges. * For upholstered version, download our cleaning and maintenance fabric guide from our download area.						
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.						
	The stool must be used with its four legs resting on the floor at all times.						
	Do not sit on the back. Do not stand on the chair.						
	Check periodically that the screws are correctly tightened.						
	Be careful not to sit off the seating centre.						
PRECAUTIONS FOR USE	Please keep away from any heating source. Wood could be easily damaged. Small imperfection or impurities are within standard quality range.						
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.						
	Arrmet srl is not liable for any damage that may result from the product misuse.						
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.						
	Waste disposal						
ECOLOGY	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable						
	recycling point. This products can be easily disassembled, facilitating disposal.						

MANI PLASTIC ST-ADJ	DESIGN: WELLINGLUDWIK 1037					
	Descrizione: Sgabello regolabile con base in acciaio inox satinato, poggiapiedi cromato o verniciato e scocca in polipropilene					
	Uso: interno					
T						
•	80,5 57-77 46,5 52 7 2 7					
DESTINAZIONE D'USO	Seduta concepita per vari settori: ristorazione, collettività, spazi pubblici (bar, ristoranti, hotel, spazi comuni, biblioteche, sale conferenza e sale d'attesa) ma anche perfettamente adatta per ambienti residenziali.					
	Il fusto è composto da una base in acciaio, D450 mm, spessore 8mm, una colonna in acciaio, Ø50 mm, sulla quale viene saldato un poggiapiedi a sezione rettangolare. Il poggiapiedi è disponibile nella finitura cromata (CRO) o verniciato a polveri nero (M7) e bianco (M6), da abbinare con la base con copertina finitura inox satinato. La molla a gas è cromata. Regolazione della altezza con pistone a gas azionabile tramite leva in acciaio. Supporto di fissaggio scocca-base in lamiera.					
	La scocca , prodotta da stampaggio ad iniezione, è in polipropilene (PP), disponibile nei colori: bianco (PP1), nero (PP3), tortora (PP11), grafite (PP12), oliva (PP13), lampone (PP14) e blu polvere (PP15).					
COMPONENTI	A disposizione cuscino (art.1021) imbottito, composto da un scocca in plastica, imbottita con poliuretano espanso privo di cfc e rivestita con tessuti a scelta del cliente. La tappezzeria sulle nostre sedie è composta da stoffe ignifughe e poliuretano espanso ignifugo. Consumo tessuto 30cm. Consumo pelle 0,50 m3.					
	A disposizione controscocca frontal e (art.1022) imbottita, composta da un scocca in plastica, imbottita con poliuretano espanso privo di cfc e rivestita con tessuti a scelta del cliente. La tappezzeria sulle nostre sedie è composta da stoffe ignifughe e poliuretano espanso ignifugo. Consumo tessuto 55cm. Consumo pelle 0,80 m3.					
	Il puntali sono in materiale plastico, colore nero.					
	L' imballo è composto da una scatola di cartone a doppia onda e elementi protettivi, contiene 1 pz per la versione disassemblata (1 scocca + 1 basamento) o 1 pz per la versione assemblata (1 scocca + 1 basamento).					
ERTIFICAZIONI	REACH : è il quadro normativo sulle sostanze chimiche dell'Unione Europea (UE). Il prodotto contiene sostanze conformi al citato regolamento e non integra sostanze classificate come "altamente problematiche" (SVHC).					
ULIZIA E MANUTENZIONE ORDINARIA	I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito e asciutto. Utilizzare solo detergenti neutri. Evitare di pulire con spugne abrasive. *Per le versioni tappezzate scaricare la guida a "pulizia e manutenzione" dei tessuti nel'area download del nostro sito					
ANUTENZIONE STRAORDINARIA	Da affidare esclusivamente a personale qualificato.					
	Lo sgabello va utilizzato con la base appoggiata sempre sul pavimento. Non sedersi sulla spalliera.					
	Non salire in piedi sullo sgabello. Fare attenzione a non sedersi fuori dal centro del sedile.					
RECAUZIONI D'USO	Verificare periodicamente il corretto serraggio delle viterie. Evitare la vicinanza alle fonti di calore.					
RECAUZIONI D'030	ll prodotto può essere soggetto a variazioni di colore se esposto alla luce. In caso di utilizzo da parte di bambini, non lasciarli senza la supervisione di un adulto.					
	L'azienda Arrmet srl non risponde di eventuali danni arrecati a persone o cose in caso di utilizzo improprio del prodotto.					
	Eventuali sostanze dannose Il prodotto non è tossico o nocivo all'uomo né agli animali o all'ambiente.					
COLOGIA	Smaltimento Al termine dell'utilizzo del prodotto non disperderlo nell'ambiente ma suddividere i componenti e conferirli ai locali sistemi pubblici o privati di smaltimento conformi alle disposizioni normative vigenti. Il prodotto è facilmente smontabile per agevolarne lo smaltimento.					
ARANZIA	24 + 2 mesi come previsto dalla Direttiva europea 99/44/CE.					

MANI FABRIC ST-ADJ	DESIGN: WELLINGLUDWIK 1037					
	Descrizione: Sgabello regolabile con base in acciaio inox satinato, poggiapiedi cromato o verniciato e scocca in polipropilene completamente rivestita.					
	Uso: interno					
T						
•	80,5 57-77 46,5 52 110 \$ 1,60					
DESTINAZIONE D'USO	' Seduta concepita per vari settori: ristorazione, collettività, spazi pubblici (bar, ristoranti, hotel, spazi comuni, biblioteche, sale conferenza e sale d'attesa) ma anche perfettamente adatta per ambienti residenziali.					
COMPONENTI	Il fusto è composto da una base in acciaio, D450 mm, spessore 8mm, una colonna in acciaio, Ø50 mm, sulla quale viene saldato un poggiapiedi a sezione rettangolare. Il poggiapiedi è disponibile nella finitura cromata (CRO) o verniciato a polveri nero (M7) e bianco (M6), da abbinare con la base con copertina finitura inox satinato. La molla a gas è cromata. Regolazione della altezza con pistone a gas azionabile tramite leva in acciaio. Supporto di fissaggio scocca-base in lamiera.					
	La scocca , prodotta da stampaggio ad iniezione, è in polipropilene (PP), imbottita con poliuretano espanso privo di cfc e rivestita con tessuti a scelta del cliente. La tappezzeria sulle nostre sedie è composta da stoffe ignifughe e poliuretano espanso ignifugo. Il puntali sono in materiale plastico, colore nero. L' imballo è composto da una scatola di cartone a doppia onda e elementi protettivi, contiene 1 pz per la versione disassemblata (1 scocca + 1 basamento) o 1 pz per la versione assemblata (1 scocca + 1 basamento).					
CERTIFICAZIONI	REACH: è il quadro normativo sulle sostanze chimiche dell'Unione Europea (UE). Il prodotto contiene sostanze conformi al citato regolamento e non integra sostanze classificate come "altamente problematiche" (SVHC). I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito e asciutto. Utilizzare solo detergenti neutri. Evitare di pulire con spugne abrasive. *Per le versioni tappezzate scaricare la guida a "pulizia e manutenzione" dei tessuti nel'area download del nostro sito					
PULIZIA E MANUTENZIONE DRDINARIA						
ANUTENZIONE STRAORDINARIA	Da affidare esclusivamente a personale qualificato.					
PRECAUZIONI D'USO	Lo sgabello va utilizzato con la base appoggiata sempre sul pavimento. Non sedersi sulla spalliera. Non salire in piedi sullo sgabello. Fare attenzione a non sedersi fuori dal centro del sedile. Verificare periodicamente il corretto serraggio delle viterie. Evitare la vicinanza alle fonti di calore. Il prodotto può essere soggetto a variazioni di colore se esposto alla luce. In caso di utilizzo da parte di bambini, non lasciarli senza la supervisione di un adulto.					
	L'azienda Arrmet srl non risponde di eventuali danni arrecati a persone o cose in caso di utilizzo improprio del prodotto.					
	Eventuali sostanze dannose Il prodotto non è tossico o nocivo all'uomo né agli animali o all'ambiente.					
ECOLOGIA	Smaltimento Al termine dell'utilizzo del prodotto non disperderlo nell'ambiente ma suddividere i componenti e conferirli ai locali sistemi pubblici o privati di smaltimento conformi alle disposizioni normative vigenti. Il prodotto è facilmente smontabile per agevolarne lo smaltimento.					
GARANZIA	24 + 2 mesi come previsto dalla Direttiva europea 99/44/CE.					

La presente scheda prodotto ottempera alle disposizioni italiane del DLgs 6 settembre 2005, n. 206 "Codice del Consumo", in materia di informazione ai consumatori, e suoi strumenti attuativi.



→ VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

 \rightarrow PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION